



EN

**WARNING: THIS PRODUCT IS NOT FOR USE BY CHILDREN AND NON-SMOKERS.**

This product is not recommended for use by children and pregnant, lactating women, in particular persons suffering from cardiovascular disease.

Please read this leaflet carefully before you begin to use this product. Keep this leaflet as it contains important information which you may need again.

**Handling And Maintenance Of The Electronic Cigarette:**

verification of the electronic cigarette by the user after each drop or impact.

If the e-cigarette were to be dropped, the consumer shall be informed that the following must be checked:

- that the elements have not become loose
- that there is no leakage of e-liquid
- that the mouthpiece is not damaged
- if a visual examination of the product shows no signs of damage, the user may use the

equipment after cleaning it and in particular the mouthpiece, using paper or a dry cloth.

the electronic cigarette shall not be used if parts are cracked or deformed and the defective items shall be replaced the electronic cigarette shall not be used when its tank is empty or almost empty as well as if the user notices a perceptible change in flavour.

**Instructions for Use and Storage of the Product:**

Always ensure that the container is fully closed and in an upright position. Store the product at a temperature between 18-30°C and out of direct sunlight. Do not refrigerate, freeze, heat or store the product in a temperature above 30°C.

**Instructions Concerning Waste Processing:**

Used electronic cigarettes should be properly disposed of to avoid being discarded indiscriminately. Used electronic cigarettes can be placed in a recyclable bin for reuse or safe disposal.

**Information Concerning the Nature of the Materials of the E-liquid Container:**

The materials of the e-liquid container are all food contact materials that meet the requirements. The main materials for e-liquid container are 316 stainless steel, PC ceramics, brass, Polymer oil absorbing cotton.

**Warnings and Precautions for Risk Groups:**

This product contains nicotine, which is not recommended for:

- Non-smokers;
- Young people under the legal age;
- in particular persons suffering from cardiovascular disease

- Pregnant or breast-feeding women; as nicotine is known to cross the placenta and to be excreted in breast milk;
- Those experiencing general ill health; such as heart disease, stomach, and duodenal ulcers, liver or kidney problems, long term throat disease, or difficulty breathing due to bronchitis, emphysema, or asthma;
- Those who have an overactive thyroid gland or have a pheochromocytoma (a tumor of the adrenal gland that can affect high blood pressure);
- Those who have diabetes, nicotine may affect your blood sugar levels;
- Those taking the following medication:
  - \* Theophylline (to treat breathing problems)
  - \* Ropinirole (to treat restless leg syndrome)
  - \* Clozapine (to treat schizophrenia)

**Contraindications:**

If vapor and the persons in his/her entourage inhale too much nicotine or use the product too much, vapor and the persons in his/her entourage may experience one or more of the

following effects:

- Feeling faint
- Nausea (feeling sick)
- Headache
- Coughing
- Irritation of the mouth or throat
- Dizziness
- Stomach discomfort
- Hiccups
- Nasal congestion
- Vomiting
- Arrhythmias in the chest
- Abnormal heartbeats

If you are experiencing some of these unwanted side effects that refer to this instruction sheet, discontinue use of this one product. If the symptoms continue after stop using, consult your doctor or health professional and place this flyer into account.

**Possible Contraindications:**

**Propylene glycol:**

- May produce adverse effects in individuals

being treated with disulfiram or metronidazole

- Allergic reactions may occur in individuals with a history of atopy, childhood eczema or rhinitis (hay fever)
- Lactic acidosis may occur when large quantities of propylene glycol is consumed by children, pregnant women or individuals with hepatic or renal failure

**Glycerol:**

- Chances of dehydration are increased in elderly and already dehydrated individuals
- Caution should be observed in individuals with diabetes, as metabolised glycerol may cause minor hyperglycemia or glycosuria

**Possible Adverse Effects:**

First-time e-cigarette users and the persons in his/her entourage may experience irritation of the mouth, a dry throat or cough. If the symptoms persist for more than 48 hours or becomes severe, visit a general practitioner and report the incident details as per the guidance provided under 'Reporting Adverse

Effects'. Nicotine withdrawal effects may also occur if using an inadequate strength to satisfy your cravings. These may include irritability, aggression, feeling low, anxiety, restlessness, poor concentration, increased appetite, urges to smoke, disturbed sleep or the lowering of heart rate.

**Reporting Adverse Effects:**

If you experience any side effects as a result of using this product, please complete the form online by visiting via the following URL - <https://vapevigil.com/producer/aspire-1>. You may also register a safety concern with the relevant competent authority within your country.

**Addictiveness:**

This product contains nicotine which is a highly addictive substance and, therefore, is not recommended for use by non-smokers. No other ingredient in this product, aside from nicotine, is known to be addictive.

**Toxicity:**

This product contains nicotine which may produce toxic effects if consumed orally, especially in infants or children. DO NOT drink this product. If swallowed, visit your general practitioner with this leaflet immediately. If spilled onto skin, rinse with cold water immediately and continue for 10-15 minutes.

**DETAILS FOR CONSUMER QUESTIONS, FEEDBACK, AND ADVERSE EVENT REPORTING**

- If used multiple times in a row, the battery may overheat
- If used improperly or if the equipment is damaged, leakage may occur
- First-time e-cigarette users may experience irritation of the mouth, a dry throat or cough
- The shelf life of e-liquid is usually 6 months, during which the taste is best when used
- If your cartridge or device is damaged, deformed, or even leaked, please do not continue to use it.

If you have any feedback you can contact us

with following information:  
Email: [service@aspirecig.com](mailto:service@aspirecig.com)  
Tel: +86-755-81499783

**INGREDIENTS:**

Propylene Glycol, Vegetable Glycerin, Flavouring Agent, 50 MG / ML Conventional Freebase Nicotine

**How to Assemble the Prefilled Pod and the Device**

1. Remove the product packaging
2. Open the PE bag
3. Take the pod out of the PE bag
4. Peel off the sticker and remove the silicone seal
5. Screw to assemble the pod and the device
6. Take a puff and simply enjoy it



**Remember to clean the condensation between the pod and the device.**



**Imported by:**

GOTVAPE CORP.  
Address: B3 L13 Papaya Ext. St. Greenland  
Subdivision, Cainta, Rizal  
Email: [inquiry@uzoqpremium.com](mailto:inquiry@uzoqpremium.com)  
Website: [uzoqpremium.com](http://uzoqpremium.com)  
Contact No.: 639171344497

**Manufactured by:**

SHENZHEN EIGATE TECHNOLOGY CO., LTD.  
Floor 1-4, Building 3, No.14 Jian'an Road,  
Shajing Sub-district, Bao'an District,  
Shenzhen, Guangdong Province, China  
Email: [service@aspirecig.com](mailto:service@aspirecig.com)  
[www.aspirecig.com](http://www.aspirecig.com)

**MADE IN CHINA**

